



# APPENDIX 6 BIBLIOGRAPHY

Kilometers

0 100 200



## References

**Balkwill, H.R. and Legall, F.D.** (1989). Chapter 15: Whale Basin, offshore Newfoundland: Extension and salt diapirism. In: Tankard, A.J. and Balkwill, H.R. (eds.), *Extensional Tectonics and Stratigraphy of the North Atlantic Margins*, American Association of Petroleum Geologists, Memoir 46:233-245.

**Barss, M.S., Bujak, J.P. and Williams, G.L.** (1979). Palynological zonation and correlation of sixty-seven wells, Eastern Canada. Geological Survey of Canada, Paper 78-24:1-118.

**Batzle, M., and Wang, Z.** (1992). Seismic properties of pore fluids. *Geophysics*, p. 1396–1524.

**Beicip Franlab and Nova Scotia Department of Natural Resources and Renewables** (2020). Shelburne Subbasin postmortem analysis – Review of Cheshire L-97 and Monterey Jack E-93. Report submitted to The Offshore Energy Research Association (OERA).

**Beicip Franlab, Nova Scotia Department of Natural Resources and Renewables, and ONHYM** (2019). Seismic Reconstruction and Petroleum Systems Modeling of the Nova Scotia-Morocco Conjugate Margin. Report submitted to The Offshore Energy Research Association (OERA).

**Beicip Franlab and Nova Scotia Department of Natural Resources and Renewables** (2016). Central Scotian Slope Study. Report submitted to The Offshore Energy Research Association (OERA).

**Beicip Franlab and Nova Scotia Department of Natural Resources and Renewables** (2015). Southwest Nova Scotia expansion – George Bank and Shelburne Sub-Basin study. Report submitted to The Offshore Energy Research Association (OERA).

**Beicip Franlab and Nova Scotia Department of Natural Resources and Renewables** (2011). Play Fairway Analysis Atlas. Report submitted to The Offshore Energy Research Association (OERA).

**Bishop, A. N.** (2022). Synthesis and Critique of Lower Jurassic Hydrocarbon Charge Evidence, Offshore Nova Scotia. OG Technical Report 2022-08, Stratum Reservoir. Report submitted to The Offshore Energy Research Association (OERA).

**Bishop, A. N.** (2020). Greater North Atlantic Liassic Petroleum System Synthesis. OG Technical Report 2020-01, Oasis Geochem. Report submitted to The Offshore Energy Research Association (OERA).

**Campbell, C., Normandeau, A., Fraser, P., and MacDonald, A.** (2020). Detailed Geomorphology of Cold Seeps Associated with a Buried Salt Diapir, Offshore Nova Scotia, Canada. Presented at EGU, May 1<sup>st</sup>, 2020.

**Catuneanu, O., Abreu, V., Bhattacharya, J.P., Blum, M.D., Dalrymple, R.W., Eriksson, P.G., Fielding, C.R., Fisher, W.L., Galloway, W.E., Gibling, M.R., Giles, K.A., Holbrook, J.M., Jordan, R., Kendall, C.G.St.C., Macurda, B., Martinsen, O.J., Miall, A.D., Neal, J.E., Nummedal, D., Pomar, L., Posamentier, H.W., Pratt, B.R., Sarg, J.F., Shanley, K.W., Steel, R.J., Strasser, A., Tucker, M.E., and Winker, C.** (2009). Towards the standardization of sequence stratigraphy. *Earth-Science Reviews*, 92: p.1–33.

**Catuneanu, O.** (2006). *Principles of sequence stratigraphy*: Elsevier, Amsterdam, 375 p.

**CNSOPB (Canada-Nova Scotia Offshore Petroleum Board)** (2012). Call for Bids 2012 NS12-1. <https://callforbids.cnsopb.ns.ca/2012/01/index.html>, accessed 09/01/2023.

**Cummings, D.C., Hart, B.S., and Arnott, R.W.C.** (2006). Sedimentology and stratigraphy of a thick, areally extensive fluvial-marine transition, Missisauga Formation, offshore Nova Scotia and its correlation with shelf margin and slope strata. *Bulletin of Canadian Petroleum Geology*, vol.54, no.2 (June 2006) p.152-174.

**Dasgupta, S., Gofer, E., and Bachrach, R.** (2021). Final Inversion Report: Barrington 3D Reprocessing.

**Deptuck, M.E. and Kendell, K.** (2023). CNSOPB Regional Seismic Framework – 2023. *Unpublished*.

**Deptuck, M.** (2020). Nova Scotia’s volcanic passive margin - exploration history, geology, and play concepts off southwestern Nova Scotia. CNSOPB Geoscience Open File Report, 2020-001MF, 32 p.

**Deptuck, M.E. and Kendell, K.** (2020). Atlas of 3D seismic surfaces and thickness maps, central and southwestern Scotian Slope, CNSOPB Geoscience Open File Report 2020-002MF – 2020-006MF, 51 pp.

**Deptuck, M.E., Altheim, B.** (2018). Rift basins of the central LaHave Platform, offshore Nova Scotia, Canada-Nova Scotia

**Deptuck, M.E. and Kendell, K.L.,** (2017). Chapter 13: A review of Mesozoic-Cenozoic salt tectonics along the Scotian Margin, Eastern Canada. In: Soto, J.I., Flinch, J.F. and Tari, G. (eds.), *Permo-Triassic Salt Provinces of Europe, North Africa and the Atlantic Margins: Tectonics and Hydrocarbon Potential*. Elsevier, p.287-312.

**Deptuck, M., Brown, D., and Altheim, B.** (2015). Call for Bids NS15-1 – Exploration history, geologic setting, and exploration potential: Western and Central regions. CNSOPB Geoscience Open File Report, 2015-001MF, 49 p.

**Deptuck, M.E. and Campbell, D.C.** (2012). Widespread erosion and mass failure from the ~51 Ma Montagnais marine bolide impact off southwestern Nova Scotia, Canada, *Canadian Journal of Earth Sciences*, 49: p.1567-1594

**Deptuck M.E., Kendell K.** (2012). Contrasting salt tectonic styles on the western versus central parts of the Scotian Margin, offshore Nova Scotia, CNSOPB.

**Donnadieu, Y., Pucéat, E., Moiroud, M., Guillocheau, F., and Deconinck, J. F.** (2016). A Better-Ventilated Ocean Triggered by Late Cretaceous Changes in continental Configuration. *Nat. Commun.* 7.

**Et-Touhami, M.** (1996). L’origine des accumulations salifères du Trias marocain : apport de la géochimie du brome du sel du bassin de Khémisset (Maroc central). *Comptes rendus de l’Académie des Sciences, Série 2a - Sciences de la terre et des planètes*, 323: 591–598.

**Embry, A., and Johannessen, E.** (1992). T-R sequence stratigraphy, facies analysis and reservoir distribution in the uppermost Triassic-Lower Jurassic succession, western Sverdrup Basin, Arctic Canada: *in T. Vorren et al., eds., Arctic Geology and Petroleum Potential: Norwegian Petroleum Society Special Publication 2*, p.121-146.

**Fowler M.** (2020). Geochemical Evidence for Multiple Source Rocks on the Scotian Shelf. APT Canada report, APT20-6124. Report submitted to The Offshore Energy Research Association (OERA).

**Fowler, M.** (2019). Jurassic Oils and Source Rocks of Northern Morocco. APT Canada report, APT19- 5528B. Report submitted to The Offshore Energy Research Association (OERA).

**Fowler, M.** (2018). Geochemistry Data Report for 2018 Scotian Slope Coring Program. APT Canada report, APT18-5348. Report submitted to The Offshore Energy Research Association (OERA).

**Fowler, M. and Webb, J.** (2016). Geochemistry Data Report for 2016 Scotian Slope Piston Coring Program. Report submitted to The Offshore Energy Research Association (OERA).

**Gittins, D. A., Desiage, P-A., Morrison, N., Rattray, J. E., Bhatnagar, S., Chakraborty, A., Zorz, J., Li, C., Horanszky, O., Cramm, M. A., Bisiach, F., Bennett, R., Webb, J., MacDonald, A., Fowler, M., Campbell, C. D., and Hubert, C. R. J.** (2022). Geological processes mediate a microbial dispersal loop in the deep biosphere. *Science Advances* 8 (34).

**Gofer, E., Dasgupta, S., Bachrach, R., Dutcher, E., Raj, A., Evans, C., Morrison, N., Nunn, K., Luheshi, M., and Dmytriw, R.** in prep. Litho-Elastic Inversion with 3D Basin Model Constraints: Case Study From Offshore Nova Scotia.

**Gofer, E., Dasgupta, S., Bachrach, R., Dutcher, E., Raj, A., Evans, C., Morrison, N., Nunn, K., Luheshi, M., and Dmytriw, R.** (2022). Basin Model Constrained Litho-Elastic Inversion: Nova Scotia Case Study. Second EAGE Conference on Seismic Inversion.

**Hafid, M.** (2000). Triassic–early Liassic extensional systems and their Tertiary inversion, Essaouira Basin (Morocco). *Marine and Petroleum Geology*, 17: 409–429. doi:10.1016/S0264-8172(98)00081-6.

**Holser, W.T., Clement, G.P., Jansa, L.F., and Wade, J.A.** (1988). Chapter 22 - Evaporite deposits of the North Atlantic rift. *In Triassic-Jurassic Rifting: Continental Breakup and the Origin of the Atlantic Ocean and Passive*

**Hunt, D. and Tucker, M.** (1992). Stranded parasequences and the forced regressive wedge systems tract: deposition during base level fall: *Sedimentary Geology*, v. 81, p. 1-9.

**Ings, S.J., MacRae, R.A., Shimeld, J.W. and Pe-Piper, G.** (2005). Diagenesis and porosity reduction in the late Cretaceous Wyandot Formation, offshore Nova Scotia: a comparison with Norwegian North Sea chalks. *Bull. Can. Petrol. Geol.*, 53, p.237–249.

**Leleu, S., Hartley, A.J., van Oosterhout, C., Kennan, L., Ruckwied, K., and Gerdes, K.** (2016). Structural, stratigraphic and sedimentological characterization of a wide rift system: The Triassic rift system of the Central Atlantic Domain. *Earth-Science Reviews*, 158: 89–124. doi:10.1016/j.earscirev.2016.03.008.

## References

**Jansa, L.F., Wade, J.A.** (1975). Geology of the continental margin off Nova Scotia and Newfoundland; in *Offshore Geology of Eastern Canada, Volume 2, Regional Geology*, ed. W.J.M. van der Linden and J.A. Wade; Geological Survey of Canada, Paper 74-30, v. 2, p. 51-106

**Jansa, L.F., and Pe-Piper, G.** (1987). Identification of an underwater extraterrestrial impact crater. *Nature*, 327(6123): p.612–614.

**Kettanah, Y.** (2010). Hydrocarbon fluid inclusion study in the Argo Salt of Glooscap-C63 and Weymouth-A45, offshore Scotian Margin. Report submitted to The Offshore Energy Research Association (OERA).

**Ladant, J.-B., Poulsen, C.J., Fluteau, F., Tabor, C.R., MacLeod, K.G., Martin, E.E., Haynes, S.J., Rostami, M.A.** (2020). Paleogeographic controls on the evolution of Late Cretaceous ocean circulation. *Clim. Past* 16, 973–1006

**MacAdam, N.** (2022). Evidence for subsurface hydrocarbon migration and seafloor seeps in deepwater Nova Scotia (In Prep).

**MacAdam, N.** (2021). Barrington 3D Reprocessing and Inversion (In prep).

**McAlpine, K.D.** (1990). Mesozoic stratigraphy, sedimentary evolution, and petroleum potential of the Jeanne D’Arc Basin, Grand Banks of Newfoundland. Geological Survey of Canada Paper 89-17, 50pp. Available from [https://publications.gc.ca/collections/collection\\_2017/rncan-nrcan/M44-89-17-eng.pdf](https://publications.gc.ca/collections/collection_2017/rncan-nrcan/M44-89-17-eng.pdf).

**McQuaid, S., and Hassan, N. B.** (2013). Nova Scotia Rock Physics Properties. Submitted to the Nova Scotia Department of Energy by ERC equipoise.

**MacRae, R.A., Pe-Piper, G., Deptuck, M.E., and DeCoste, A.** (2013). Stratigraphic revelations regarding Mesozoic salt on the Scotian Margin and implications for early trans-Atlantic basin history (Abstract). Atlantic Geoscience Society, 2013 Colloquium, Program & Abstracts, Dartmouth, NS. p. 41.

**Olsen, P.E., Kent, D.V., Fowell, S.J., Schlische, R.W., WithJack, M.O., and LeTourneau, P.M.** (2000). Implications of a comparison of the stratigraphy and depositional environments of the Argana (Morocco) and Fundy (Nova Scotia, Canada) Permian-Jurassic Basins. In *Le Permien et le Trias du Maroc: Actes de la Première Réunion du Groupe Marocain du Permien et du Trias*. Edited by M. Ujjidi and M. Et-Touhami. Hilal Impression, Oujda. pp. 165–183. Available from <https://www.ideo.columbia.edu/~polsen/nbcp/gmpt.00.pdf>.

**Powell, T.G.** (1982). Petroleum geochemistry of the Verrill Canyon Formation: A source for Scotian Shelf hydrocarbons. *Bulletin of Canadian Petroleum Geology* 30, 167-179.

**Raj, A., Dutcher, E., and Evans, C.** (2021). Barrington 3D Reprocessing: Final Processing Report.

**Rodrigues, S., Deptuck, M.E., Kendell, K.L., Campbell, C., Hernandez-Molina, F.J.** (2022) Cretaceous to Eocene mixed turbidite-contourite systems offshore Nova Scotia (Canada): Spatial and temporal variability of down- and along-slope processes. *Marine and Petroleum Geology*. 138, 105572.

**RPS** (2010). Uniacke G-72\_Summary Chart\_11-11-2010 *in* Beicip et al. 2011 Annex 3.4.

**Scotese, C. R.** (2014). Atlas of Jurassic Paleogeographic Maps, PALEOMAP Atlas for ArcGIS, volume 3, The Jurassic and Triassic, Maps 32 - 42, Mollweide Projection, PALEOMAP Project, Evanston, IL.

**Scougal, G, Quallingham, A., Heins, W., Redmile, A., Wilson, K., Wilson, L., Alcaraz, A.** (2021). Organic Facies Prediction and Risking of Jurassic Source Rocks, Offshore Nova Scotia. Getech Group plc, Leeds, UK. Report submitted to The Offshore Energy Research Association (OERA).

**Sibuet, J.-C., Rouzo, S. and Srivastava, S.** (2012). Plate tectonic reconstructions and paleogeographic maps of the central and North Atlantic oceans. *Canadian Journal of Earth Sciences*, 49:1395-1415.

**Strathdee, G** (2012). Origin and significance of clay minerals in Mesozoic shales of the Scotian Basin. M.Sc. thesis, Department of Geology, Saint Mary's University: 253 p.

**Tari G., Jabour H.** (2013). Salt tectonics along the Atlantic margin of Morocco. Geological Society, London, Special Publications, 369, 337-353, 26.

**Tsikouras B., Pe-Piper G., Piper D.J.W., and Schaffer M.** (2011). Varietal heavy mineral analysis of sediment provenance, Lower Cretaceous Scotian Basin, eastern Canada. *Sedimentary Geology*, 237(3-4): p.150-165.

**Wade, J.A., Brown, D.E., Traverse, A. and Fensome, R.A.** (1996). The Triassic-Jurassic Fundy Basin, eastern Canada: regional setting, stratigraphy and hydrocarbon potential. *Atlantic Geology*, 32:189-231.

**Wade, J.A. and MacLean, B.C.** (1990). The geology of the Southeastern Margin of Canada, Chapter 5, In M.J. Keen and G.L. Williams (Eds), *Geology of the Continental Margin of Eastern Canada*, Geological Survey of Canada, The Geology of Canada, p. 224-225

**Webb, J. and Fowler, M.** (2015). Report on geochemical analyses of piston cored samples, offshore Nova Scotia. APT Canada. Report submitted to The Offshore Energy Research Association (OERA).

**Weston, J.F., MacRae, R.A., Ascoli, P., Cooper, M.K.E., Fensome, R.A., Shaw, D., and Williams, G.L.** (2023). Re-evaluation of the Mesozoic–Cenozoic biostratigraphy of the Laurentian Subbasin of the Scotian Basin, offshore eastern Canada. *Atlantic Geoscience*, 59.

**Weston, J. F., MacRae, R. A., Ascoli, P., Cooper, M. K. E., Fensome, R. A., Shaw, D., & Williams, G. L.** (2012). A revised biostratigraphic and well-log sequence-stratigraphic framework for the Scotian Margin, offshore eastern Canada. *Canadian Journal of Earth Sciences*, 49(12), 1417-1462.

**Williams, H and Grant, A.C.,** (1998). Tectonic Assemblages, Atlantic Region, Canada. Geological Survey of Canada, Open File 3657, 1:3 million scale map.

**Williams, G.L.,** (2006a). Palynological analysis of Amoco-Imperial-Skelly Osprey H-84, Carson Basin, Grand Banks of Newfoundland. Geological Survey of Canada Open File 4974, 18p + chart.

**Williams, G.L.,** (2006b). Palynological analysis of Amoco-Imperial Cormorant N-83, Jeanne d'Arc Basin, Grand Banks of Newfoundland. Geological Survey of Canada, Open File 4974, 24p + chart.

**Wygrala, B. P.** (1989) Integrated study on an oil field in the southern po basin, northern italy, PhD. Dissertation, Köln University, Berichte der Kernforschungsanlage Jülich, 2313, 217 pp.